



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name: Eastar(TM) Copolyester 6763

Product No.: 6763, P15605FR, P15605FA, P15605FB, P15605FF, P15605FM, P15605FF, P15605F3, P15605AP, P15605FP, P15605F1, P15605FL, P15605F8, P15605FQ, P15605FX, P15605F6, E1560501,

P15605FN

Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Plastics

Uses advised against: None known.

Details of the supplier of the safety data sheet

Manufacturer / Supplier

Eastman Chemical Company 200 South Wilcox Drive Kingsport, TN 37660-5280 US +14232292000

Visit our website at www.EASTMAN.com or email emnmsds@eastman.com

Emergency telephone number:

For emergency health, safety, and environmental information, call 1-423-229-4511 or 1-423-229-2000.

For emergency transportation information, in the United States: call CHEMTREC at 800-424-9300 or call 423-229-2000.

SECTION 2: Hazards identification

Hazard classification:

OSHA Specified Hazards:

Combustible dust

If converted to small particles during further processing, handling or by other means may form combustible dust concentrations in air.

Warning label items including precautionary statement:

Signal words: WARNING!

Hazard Statement(s): If converted to small particles during further processing, handling or by other means may form combustible dust concentrations in air.

•

Precautionary statement:

Disposal: P501: Dispose of contents/container to an appropriate treatment and

disposal facility in accordance with applicable laws and regulations, and

product characteristics at time of disposal.

3D Printer Filament 1/10





Hazard(s) not otherwise classified (HNOC):

None known.

SECTION 3: Composition/information on ingredients

Substances / Mixtures

General information:

Chemical name	Concentration	Additional identification	Notes
polymer	100%	CAS-No.: proprietary	

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. This substance has workplace exposure limit(s).

SECTION 4: First aid measures

Description of first aid measures

Inhalation: Move to fresh air. Treat symptomatically. Get medical attention if symptoms

persist

Eye contact: Any material that contacts the eye should be washed out immediately with

water. If easy to do, remove contact lenses. Get medical attention if symptoms persist. If molten material contacts the eye, immediately flush with plenty of water for at least 15 minutes. Get medical attention

immediately.

Skin contact: Wash with soap and water. Get medical attention if symptoms occur. If

burned by contact with hot material, cool molten material adhering to skin as quickly as possible with water, and see a physician for removal of adhering material and treatment of burn. Get medical attention.

Ingestion: Seek medical advice.

Most important symptoms and

effects, both acute and

delayed:

Burns should be treated as thermal burns. The material will come off as

healing occurs; therefore, immediate removal from the skin is not

necessary.

Indication of any immediate medical attention and special treatment needed

Hazards: Contact with molten substance/product may cause severe burns to skin and

eyes.

Treatment: Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards: Material can accumulate static charges which may cause an electrical

spark (ignition source). Use proper bonding and/or grounding procedures.

Extinguishing media

Suitable extinguishing

media:

Water spray. Dry chemical. Carbon Dioxide.

Unsuitable extinguishing

media:

None known.

3D Printer Filament 2/10





Special hazards arising from

the substance or mixture:

Powdered material may form explosive dust-air mixtures.

Advice for firefighters

Special fire fighting procedures:

Minimize dust generation and accumulation.

Special protective

equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

SECTION 6: Accidental release measures

Personal precautions,

protective equipment and emergency procedures:

Wear appropriate personal protective equipment.

Environmental precautions: Not regarded as dangerous for the environment.

Methods and material for

containment and cleaning

up:

Sweep up and place in a clearly labeled container for chemical waste.

Notification Procedures: In the event of a spill or accidental release, notify relevant authorities in

accordance with all applicable regulations.

SECTION 7: Handling and storage:

Precautions for safe handling: Avoid contact with molten material. Minimize dust generation and

accumulation.

Conditions for safe storage,

including any incompatibilities:

Keep container closed.

Specific end use(s): Plastics.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational exposure limits

Country specific exposure limits have not been established or are not applicable

unless listed below.

Exposure controls

Appropriate engineering

controls:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use

process enclosures, local exhaust ventilation, or other engineering controls

to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an

acceptable level.

3D Printer Filament 3/10





Individual protection measures, such as personal protective equipment

General information: Eye bath. Washing facilities.

Eye/face protection: It is a good industrial hygiene practice to minimize eye contact. Wear a face

shield when working with molten material.

Skin protection

Hand protection: It is a good industrial hygiene practice to minimize skin contact. When

material is heated, wear gloves to protect against thermal burns.

Other: No data available.

Respiratory Protection: If engineering controls do not maintain airborne concentrations below

recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 FR 1152, January 8, 1998. Respirator type: Airpurifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and

safety professional or manufacturer for specific information.

Hygiene measures: Observe good industrial hygiene practices.

Environmental Controls: No data available.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical State: Solid
Form: Pellet
Color: Colorless
Odor: Slight

Odor Threshold:Not determined.pH:No data available.

Softening Point: > 100 °C

Boiling Point: No data available.

Flash Point: not applicable, combustible solid

Evaporation Rate:

Flammability (solid, gas):

Flammability Limit - Upper (%)-:

Flammability Limit - Lower (%)-:

Vapor pressure:

Vapor density (air=1):

Specific Gravity:

Not determined.

No data available.

Not determined.

No data available.

> 1 (estimated)

Solubility(ies)

Solubility in Water: Negligible

Solubility (other): No data available.

Partition coefficient (n-octanol/water): No data available.

3D Printer Filament 4/10





Autoignition Temperature: 454 °C (ASTM E659)

Decomposition Temperature: Thermal stability not tested. Low stability hazard

expected at normal operating temperatures.

Dynamic Viscosity:No data available.Kinematic viscosity:Not determined.Explosive properties:No data available.Oxidizing properties:No data available.

SECTION 10: Stability and reactivity

Reactivity: None known.

Chemical stability: Stable

Possibility of hazardous

reactions:

None known.

Conditions to avoid: None at ambient temperatures.

Incompatible materials: Strong oxidizing agents.

Hazardous decomposition

products:

Carbon Monoxide. Carbon Dioxide.

SECTION 11: Toxicological information

Information on likely routes of exposure

Inhalation: None known.

Ingestion: None known.

Skin contact: Molten material will produce thermal burns.

Eye contact: Molten material will produce thermal burns.

Information on toxicological effects

Acute Toxicity

Oral

Product: No data available.

Specified substance(s)

polymer Oral LD-50: (Rat): > 3,200 mg/kg

Dermal

Product: No data available.

Specified substance(s)

polymer Dermal LD-50: (Guinea Pig): > 1,000 mg/kg

Inhalation

Product: No data available.

Specified substance(s)

polymer No data available.

3D Printer Filament 5/10





Repeated dose toxicity

Product: No data available.

Specified substance(s)

polymer No data available.

Skin corrosion/irritation:

No data available. **Product:**

Specified substance(s)

(Guinea Pig, 24 h): Slight polymer

Serious eye damage/eye

irritation:

Product: No data available.

Specified substance(s)

unwashed eyes (Rabbit): Slight polymer washed eyes (Rabbit): Slight

Respiratory or skin

sensitization:

Product: No data available.

Specified substance(s)

Skin Sensitization:, (Guinea Pig) - non-sensitizing polymer

Mutagenicity

In vitro

Product: No data available.

Specified substance(s)

No data available. polymer

In vivo

Product: No data available.

Specified substance(s)

No data available. polymer

Carcinogenicity

Product: No data available.

Specified substance(s)

No data available. polymer

Reproductive toxicity

Product: No data available.

Specified substance(s)

No data available. polymer

Specific target organ toxicity - single exposure

No data available. **Product:**

Specified substance(s)

No data available. polymer

Specific target organ toxicity - repeated exposure

3D Printer Filament 6/10





Product: No data available.

Specified substance(s)

No data available. polymer

Aspiration hazard

Product: No data available.

Specified substance(s)

No data available. polymer

Other adverse effects: No data available.

SECTION 12: Ecological information

Toxicity

Acute toxicity

Fish

Product: No data available.

Specified substance(s)

LC-50 (Fathead Minnow, 96 h): > 100 mg/l (highest concentration tested) polymer

Aquatic invertebrates

Product: No data available.

Specified substance(s)

LC-50 (daphnid, 96 h): > 100 mg/l (highest concentration tested) polymer LC-50 (snail, 96 h): > 100 mg/l (highest concentration tested)

LC-50 (flatworm, 96 h): > 100 mg/l (highest concentration tested)

Chronic Toxicity

Fish

No data available. Product:

Specified substance(s)

No data available. polymer

Aquatic invertebrates

Product: No data available.

Specified substance(s)

No data available. polymer

Toxicity to Aquatic Plants

No data available. **Product:**

Specified substance(s)

No data available. polymer

Persistence and degradability

Biodegradation

Product: No data available.

Specified substance(s)

No data available. polymer

3D Printer Filament 7/10





Biological Oxygen Demand:

Product No data available.

Specified substance(s)

polymer No data available.

Chemical Oxygen Demand:

Product No data available.

Specified substance(s)

polymer No data available.

BOD/COD ratio

Product No data available.

Specified substance(s)

polymer No data available.

Bioaccumulative potential

Product: No data available.

Specified substance(s)

polymer No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

polymer No data available.

Results of PBT and vPvB

assessment:

No data available.

polymer No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Waste treatment methods

General information: No data available.

Disposal methods: Dispose of waste and residues in accordance with local authority

requirements. Incinerate.

SECTION 14: Transport information

Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.

DOT

Class not regulated

IMDG - International Maritime Dangerous Goods Code

Class not regulated

3D Printer Filament 8/10





IATA

Class not regulated

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS (Canada) Status: noncontrolled

SARA 311-312 Hazard Classification(s):

fire hazard

US EPCRA (SARA Title III) Section 313 - Toxic Chemical List

NONE

OSHA: hazardous

TSCA (US Toxic Substances Control Act): This product is listed on the TSCA inventory. Any impurities present in this product are exempt from listing.

DSL (Canadian Domestic Substances List) and CEPA (Canadian Environmental Protection Act): This product is listed on the DSL. Any impurities present in this product are exempt from listing.

AICS / NICNAS (Australian Inventory of Chemical Substances and National Industrial Chemicals Notification and Assessment Scheme): This product is listed on AICS or otherwise complies with NICNAS.

MITI (Japanese Handbook of Existing and New Chemical Substances): This product is listed in the Handbook or has been approved in Japan by new substance notification.

ECL (Korean Toxic Substances Control Act): This product is listed on the Korean inventory or otherwise complies with the Korean Toxic Substances Control Act.

Philippines Inventory (PICCS): This product is listed on the Philippine Inventory or otherwise complies with PICCS.

Inventory of Existing Chemical Substances in China: All components of this product are listed on the Inventory of Existing Chemical Substances in China (IECSC).

SECTION 16: Other information

HMIS® **Hazard Ratings:** Health - 1, Flammability - 1, Chemical Reactivity - 0

3D Printer Filament 9/10





HMIS® rating involves data interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the i nformation contained in this MSDS must be considered.

Revision Information: New SDS

Key literature references and

sources for data:

No data available.

Training information: No data available.

Issue date: 10/31/2014

SDS No.:

Disclaimer: This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

EASTMAN Chemical Version: 2.2 Revision date: 10/31/2014 Initiator: 0001 / PRD 150000040786

3D Printer Filament 10/10