



The **CleanStation DT-3 for FDM**, the “original” desktop system with thousands of installations worldwide.

Fast, efficient, one-button operation or fully programmable

Easy to use, the DT3 utilizes patented “heat, agitation and flow” technology, the most efficient process for removal of soluble support material. Use the pre-programmed settings for “one touch” operation or enjoy the flexibility of a fully-programmable system and set your own time and temperature* for cleaning your 3-D printed models. The DT3 model features a generous 12 x 10 x 10 work envelope, a stainless-steel tank with integrated basket and lid, low-level cut-off switch and whisper quiet operation. The DT3-P is not load sensitive, so multiple parts are cleaned as effectively as a single part.

For use with Stratasys models: u-Print, F170, F270, F370, 380 MC, 450 MC

Product Features

- ◆ Fast warm up
- ◆ Single-touch and fully automated control?
- ◆ Programmable heat and time
- ◆ Integrated lid and parts basket
- ◆ Basket self-drains into tank
- ◆ Quick-disconnect, appliance style plumbing
- ◆ Chemical resistant stainless-steel tank
- ◆ Recessed “no drip” top
- ◆ High-efficiency, multi-point manifold
- ◆ Low-level cut-off switch
- ◆ “Whisper quiet” operation
- ◆ Made in USA

Product Specifications

- ◆ Work envelope: 12” x 10” x 10”
- ◆ Tank capacity: 1200 cubic inch, 6 gallons
- ◆ Machine dimensions: 23.5” x 21.3” x 19.25”
- ◆ Power requirements: 120V, 15 AMP service
- ◆ Programmable heat capacity: 1300 watts
- ◆ Shipping weight 72 lbs.

**temperature setting not to exceed the maximum listed in the user manual*

For additional product information,
email sales@cleanstation-srs.com
or call 763-425-1383 x 309

CleanStation-SRS.com

